

Performance Bulletin

YPB#: PB_SLF_2360CC_t_F150TXR_6-2-05_OCC

Test Date: 6/2/05



Note: Boat shown with optional out-board motor.




F150TXR/LF150TXR

Performance Data

RPM	MPH	GPH	MPG
1000	5.2	1.3	4.16
1500	7.7	2.1	3.73
2000	8.8	4.0	2.23
2500	11.1	6.5	1.70
3000	22.8	7.5	3.06
3500	31.0	10.8	2.87
4000	35.6	12.5	2.85
4500	39.7	15.7	2.54
5000	45.4	21.6	2.11
5500	48.6	25.2	1.93
5900	52.3	30.2	1.73

Seconds to Plane **3.40**



Test performed and certified by Yamaha Application Engineers.

Boat Manufactured By:

Sailfish Boats • Seminole Marine • 2501 Milestone Industrial Park • Cairo, GA 39828
(229) 377-2125 • www.sailfishboats.com

Boat: 2360 CC

Length	23' 6"
Beam	9'
Dry Weight (published)	3,400 lbs.
Max HP	300
Fuel Capacity	150 gals.
Weight as Tested (approximate)	5,715 lbs.

Engine: F150TXR/LF150TXR

Horsepower	150
Fuel Induction	Electronic Fuel Injection
Displacement	163 cu. in.
Weight	475 lbs.
Gear Ratio	2.00
Mounting Height	#2
Propeller (Dia/Pitch)	14-1/4 x 20 S/S
Propeller Part #	MAR-GYT3B-V6-20 MAR-GYT3B-L6-20

Test Conditions:

Number of People	2
Air Temperature	84° F
Water Temperature	87° F
Elevation	135 ft.
Wind Velocity	5-10 MPH

Comments:

Test weight includes 2/3 tank of fuel, four Group 27 batteries, T-top, leaning post, safety and test equipment.

Note:

Data may vary due to changes in weather, elevation, options and equipment, load and boat bottom conditions. Fuel data gathered with Yamaha Fuel Management System. Speed data gathered with GPS receiver.

Outboard Manufactured By:

Yamaha Motor Corp., USA • OEM Division, Marine Group
1270 Chastain Road NW • Kennesaw, GA 30144
(800) 88-YAMAHA

For other Performance Bulletins, visit www.yamaha-motor.com.